Appointment Date: _	
Arrival Time:	
Procedure Time:	

PREPARATION FOR FLEXIBLE SIGMOIDOSCOPY

NO FOOD OR LIQUIDS AFTER MIDNIGHT THE DAY BEFORE YOUR PROCEDURE.

Purchase two(2) over the counter Fleet enemas.


Insert 1 st Fleet Enema at	AM/PM.
nsert 2 nd Fleet Enema at	AM/PM

If you take daily medication, take 4 hours before procedure with a small sip of water. If you are currently taking blood thinning medication, including Coumadin, Warfarin, Ticlid, Eliquis, or Xarelto please notify procedure scheduler for additional instructions. Blood thinners are usually discontinued 3-5 days prior to the procedure.

You must have an adult 18 years or older remain with you during the procedure and drive you home afterward. You may not resume driving or operate any heavy machinery for the remainder of the day. If you are unable to keep your appointment, please contact us 72 hours in advance.

Northwest Medical Center Surgery/Endoscopy 6200 N La Cholla Blvd.

Northwest Tucson Surgery Center 6320 N La Cholla Blvd Ste 100



Sahuarita 16260 S Rancho Sahuarita Blvd. 1st Floor

Rehan Iftikhar, MD Rizwan Safdar, MD

520-624-4342 Office

